病名: 胃癌 レジメン名: XELOX+NIVO

1コース期間(休薬期間含む) 21 日

薬剤名/ルート・用法		割合	1/1	1/2	1/3	1/4	1/5	1/6	1/7	1/8	1/9	1/10	1/11	1/12	1/13	1/14	1/15	1/16	1/17	1/18	1/19	1/20	1/2
	基準投与量		火	水	木	金	±	B	月	火	水	木	金	土	B	月	火	水	木	金	土	В	月
			day1	day2~21																			
			未適用	休薬																			
注射																							
里食塩液「ヒカリ」50mL	1 V																						
末梢点滴ケモ(持続)加算A	00:05		未適用	•																			
里食塩液「ヒカリ」 100mL	1 V		11-7-2713																				
主義・温波・ミカウ」 TOOME トラジーボ点:適静注240mg24mL	1 V 360 mg/BODY	100																					
		100	未適用																				
末梢点滴ケモ(持続)加算A	00:10		不過用																				
里食塩液「ヒカリ」50mL	1 V																						
末梢点滴ケモ(持続)加算A	00:15		未適用																				
1/セトロン点滴静注バッグ 0.75mg 50ml	1袋																						
Fサート注 ★3.3mg 1mL	1 A																						
コカリス点滴静注235mg10mL	1 V																						
末梢点滴ケモ(持続)加算A	00:20		未適用																				
『ウ糖注 5%★500mL	1 V																						
キサリプラチン注 ☆50ms	130 mg/m²	100																					
キサート注 ☆1.65mg 0.5mL	1 A																						
末梢点滴ケモ CSTD(側管)	00:25		未適用																				
理食塩液「ヒカリ」50mL	1 V																						
末梢点滴ケモ(持続)加算A	00:30		未適用	•																			+
イト・1円/ボバリア C (1寸1M/7 7世分音	00.00		-1- Ver / 11																				
処方																							